Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62,13

MAR 17 1930



"Delightful oldfashioned flowers"

01

HARDY PLANTS

A Complete Collection

1930

Grown by

Frank Josifko

MADISON . . . CONNECTICUT

FOREWORD

N PRESENTING this, the Eighth Edition, of my catalogue, I do so with reasonable confidence in the quality of the stock I am growing and offering. My catalogue embraces a most complete and select assortment of the choicest varieties of plants suitable for distinctive and uncommonly beautiful perennial borders and charming rock gardens. The varieties offered have been selected with discrimination and care. They have been grown here in Madison under conditions which assure their reasonable hardiness and adaptability to our climate.

To my customers and friends of years past, such assurances are unnecessary; to new clients I can only repeat my pledge of former years to the effect that I shall always endeavor to have my stock measure up to the high standard of quality I have set for it, and by so doing to merit a continuance of the patronage I have always enjoyed. I value, as my greatest asset, the patronage of the host of satisfied clients, who, year after year, entrust to me the commissions for their requirements in making their home "A place of beauty and joy forever."

This list cancels all previous offers.

Read Before Ordering

- **PRICES** quoted in this list are net, and subject to no discounts. My prices are as low as the high quality of my stocks warrants and are consistent with the prices of other reputable firms, **QUALITY** must be considered in comparing prices.
- **ORDERS.** To avoid disappointments we urge orders being placed early. **All plants** are offered subject to being unsold on receipt of order. Please give explicit shipping directions. **Write your name and address distinctly.**
- TERMS. Cash with order. Any orders involving other terms must be accompanied by satisfactory references.
- **C.O.D. ORDERS** must be accompanied by a remittance in part payment to guarantee charges. All such orders can only be shipped by express.
- **SMALL ORDERS.** We do not solicit orders for less than \$1.00 and such orders will not be filled unless an allowance for packing be made. Packing charges are made at actual cost.
- **SUBSTITUTIONS.** Unless specifically authorized to do so, no substitutions are made. We suggest, however, that we be instructed to use our judgment in such cases, as often, as the season advances, we may be sold out on some varieties, but we may still have equally choice items available which will prove as good as—and often superior to—the varieties ordered and which cannot be supplied.
- **BISK.** Shipments travel at purchaser's risk. Our responsibility ceases upon delivery to the transportation company and when we have their receipt for shipment.
- **ERRORS.** Keep an exact copy of your order. We endeavor to fill all orders correctly. When we are at fault we will make satisfactory adjustment.
- NON-WARRANTY. We grow and ship only the best and healthlest plants, but we cannot give any warranty as to description or trueness to name, as conditions, climatic and soil, exist over which we have no control.



CAMPANULA MOERHEIMI (See page 7)

Hardy Perennials

CES. 25c ea. for good strong plants; \$2.50 per doz. except where otherwise noted. Extra heavy clumps at correspondingly higher prices. Six of a kind at the dozen rate. Selected varieties, one of each, at the PRICES. dozen rate.

Varieties preceded by an asterisk (*) are suitable for use in Rock Gardens.

Varieties preceded by (x) are sold out for this season.

ACHILLEA, Well drained soil in sun, ageratum (Sweet Yarrow), Yellow, 15 flipendula (Fernleaf Yarrow), Yellow, macedonica, Yellow, 3 ft. June-July, 15 in. w. 3 ft. July.

Millefolium roseum (Pink Yarrow). Pink. 18 in. July-Sept.

Parker's Variety. Taller; yellow. 2½ ft. June-Sept.
Ptarmica, Boule de Neige. Compact. 15 in. June-Sept.
Ptarmica, Perry's White. Large; white. 18 in. June-July.

*tomentosa (Woolly Yarrow). Bright yellow. 8 in. June.

ACONITUM. Ordinary soil in sun or semi-shade.
autumnale (Autumn Monkshood). Deep blue.
each, \$3 per doz. Sept. 2 ft.
Pischeri Wilsoni (Violet Monkshood). Large 30 cts.

Fischeri Wilsoni (Violet Monkshblue. \$1 each. 5 ft. Sept.-Oct. Large; violet-

lycoctonum (Wolfsbane). Yellow. 2½ ft. June. 50 cts. each. Dark blue. 35 cts. each, \$3.50 per

Napellus (Aconite). doz. 3 ft. June. Napellus alba (White Aconite). Light blue. 50 cts, each. 3 ft. June.

Napellus bicolor. Blue and white. \$1 each. June-July. 2 ft. ft.

Pyrenaicum. Clear yellow, 21/2 ft. June. 75c ea.

ACORUS.

CORUS. Moist soil, sun or semi-shade.

Galamus (Sweet Flag). Aromatic rootstock. July. 2 ft.

Calamus variegatus (Striped Sweet Flag). Variegated.

July. 2 ft.

ADENOPHORA. Ordinary soil in sun. x Potanini (Bush Ladybell). 1½ ft. July.

ADONIS. Ordinary soil in sun or light shade x*amurensis (Adonis). Large; yellow. . Sold out for season.

*amurensis flore-pleno. Double; yellow. \$1.00 each.

AETHIONEMA. Well drained soil in sun.

x*grandifiorum (Persian Stone Cress). Ros
gray foliage. 12 in. Sold out for season. Rose.

AETHIOPAPPUS. Ordinary soil in sun. **Pulcherrimus.** Pinkish white flowers. 11/2 ft. June-50c ea. Sept.

GAPANTHUS. Ordinary soil in sun. umbellatus (African Lily). Blue. 3 ft. July-Aug. \$1 AGAPANTHUS. each.

Ordinary soil in AJUGA. sun.

*genevensis (Bugle). Blue. 6 in. May-June

*reptans variegata low Variegated l (Yel-Bugle). Foliage variegated yel low. 6 in. May-June.

*versicolor (White Variegated Bugle). Showy. 6 in. May-June. 40 cts. each.

ALLIUM. Ordinary soil in sun.

*tyaneum. Light blue, 12 in. May-June. 40c ea. *flavum (Yellow Chive). Yellow. 12 in. June.

35 ets.

Rose pink stellatum. June. flowers. 40c.

'(Hollyhocks.) ALTHAEA. Ordinary soil; sun.

Rosea Double. In many delightful colors. Rosea Single. In lovely

assortment.

20 cts. each, \$2 per doz.; extra strong, 30 cts. per doz. \$3.00.



Anemone Pulsatilla

ALYSSUM. Well drained soil in sun.

*argenteum (Silver). Yellow. 12 in. June-July.

*rostratum (Yellowhead Alyssum). Golden yellow. in. June-July.

citrinum. Light yellow. 10 in. May-June. 30 cts. ea. *saxatile compactum (Golden Tuft). Yellow; fragrant. 10 in. April-May.

*Wulfenianum. Sulphur-yellow. 40 cts. each. 6 in. June.

AMPELOPSIS. Ordinary soil in sun. heterophylla elegans. A vine wi heterophylla elegans foliage. 50c each. with pretty variegated

AMSONIA.

MSONIA. Ordinary soil in sun or light shade. Tabernaemontana (salicifolia). (Willow Amsonia.) Steelblue. 21/2 ft. May-June. 30 cts. each.

Well drained, rich soil in sun.

Barrelieri (Early Bugloss). Dark blue; white eye. 21/2 ft. May.

Dropmore. (Italian Bugloss). Sky-blue, 6 ft. italica. June-Sept.

italica lissadell. Gentian-blue. June-Sept. 5-6 ft.

myosotidiflora (Siberian Bugloss). 12 in. 50 cts. each. Blue. April-May. ANEMONB. shade.

IB. Rich soil in light shadensis (Windflower). Pale 135 cts. each, \$3.50 per doz. *hupehensis mauve. 12 in. Aug.-Oct.

- cts. each.
- Heinrich. Double; crimson.
 Charlotte. Semi-double: re Prince Heinrich. 2-3 ft. Sept.-Oct. Semi-double; rare pink. 2-3 ft. -Queen Sept.-Oct.

-rubra. Rosy red. 2½ ft. Sept.-Oct.
--Whirlwind. White. 2-3 ft. Sept.-Oct.
*Pennsylvanica. Fine white. 12 in. May-June. 25c ea. *pulsatilla (European Pasqueflower). Violet. April-May. 35 cts. each. pulsatilla alba. White. 10 in. April-May. 75c *rubra (Red Pasqueflower). 12 in. April-May. 12 in.

75c ea. 30 cts. each.

vitifolia tomentosa. Pinkish rose. 40 cts. each. 2 ft. Aug.-Sept.

All Anemones 30 cts. each, \$3 per doz., except where otherwise noted.

Ordinary soil in sun or light shade. ANTHEMIS.

tinctoria Kelwayi (Kelway Chamomile). Golden yellow. June-Oct.

tinctoria pallida (Pale Chamomile). Light yellow. 2-3 June-Oct. ft.

ANTHERICUM liliastrum (St. Brune White, 2 ft. 30 cts. each.

AQUILEGIA. Well drained soil in sun. (St. Bruno's Lily). June.

*Alpina (Alpine Columbine). Chaste blue. 18 in. June. 30c ea.

*caerulea (Colorado Columbine). Blue and white; long-spurred. 2 ft. May-June. 35 cts. each.
chrysantha (Golden Columbine). Yellow; long-spurred.

3 ft. June-July.

hylodgensis. Long-spurred mixed colors. June. 2 1/2 ft. vulgaris (European Columbine). Single and double; violet-blue. 2-3 ft. May-June. vulgaris nivea (White European Columbine). Low; white. 2½ ft. May-June.

ARABIS. Well drained soil in sun.
*alpina (Alpine Rock Cress). White. 5 in. April-May.

*alpina flore-pleno (Double Alpine Rock Cress). Double, 6 in. May. 50 cts. each.
*alpina rosea. Light pink. 6 in. May. 35 cts. each.
ARCTOSTAPHYLOS. Sandy acid soil in semi-shade.
*Uva-ursi (Bearberry). Trailing evergreen. Flowers white, followed by large red berry. 50 cts. each.

ARENARIA. Well drained soil in sun
*montana (Mountain Sandwort). W
May. 30 cts. each. White, 4 in. April-

(Tufted Sandwort). *verna White. 1-2 in. May-Aug. 30 cts. each.

ARRHENANTHERUM. Ordinary soil in sun.

*bulbosum variegatum (Variegated Oatgrass). and white leaves. 12 in. ARTEMISIA. Ordinary soil in sun.

Abrotanum (Southernwood). Aromatic odor. 2-3 ft.

Absinthium (Common Wormwood). Medicinal qualities. 2-3 ft.

Dracunculus (Tarragon). True. Many culinary uses. 3 ft. 35 cts. each.

lactiflora (White Mugwort). Creamy white; fragrant. 4-5 ft.

Stelleriana (Beach Wormwood). Silvery cut foliage. 12 in.

ASCLEPIAS. S. Ordinary soil in sun. (Butterfly Weed). Orange. Showy. 2 ft. Julytuberosa (Butterny ... 4 ng. 35 cts. each.

ASPERULA. Ordinary soil in light shade.
hexaphylla (Misty Woodruff). Used for bouq
stead of Baby's Breath. Scented. 2½ ft. Ju
*odorata (Sweet Woodruff). Fragrant leaves. bouquets in-June-July. White. 1 ft. July.

ASTER (Michaelmas Daisy). Rich soil in sun.
Amellus (Italian Aster). Early; pink-lavender.
Aug.-Sept. 30 cts. each. 2 ft.

King George. New. Large; bluish violet. 2 ft. Sept. 50 cts. each, \$5 per doz. Aug.-

-Perry's Favorite. Pinkish; early. 21/2 ft. Aug.-Sept. 30 cts. each.

 preciosa. Deep violet. 2 ft. Aug.-Sept. 40 c
 prosea. Pink. 2 ft. Aug.-Sept. 30 cts. each. 40 cts. each.

Feltham. Lavender-blue. 4 ft. October.

Enfante de Vetry. Semi-double; lilac-mauve. Sept. 35 cts. each. japonica alba plena. Double; white. Sept.-Oct. *—Mauve Cushion. Mauve. 9 in. Oct.-Nov. 2 1/2 ft.

-Lutetia. Beautiful yellow-lavender. 2-3 ft. Sept.-Oct. novae-angliae, Beauty of Castille. Dark purple. 3½-4 ft. Sept.-Oct.

-Mrs. S. T. Wright. Rosy purple. 4 ft. Sept.-Oct. novi-belgi, Climax. Lavender blue. 3 ft. Aug.-Oct.

—Grace Sweet. Dark lavender blue. 4 ft. Sept.
—Thelma Perry. Pink. 4 ft. Aug.-Sept.
—White Climax. White. 3 ft. Aug.-Oct.
tataricus. Bluish violet. 5-6 ft. Oct.

ASTILBE. Moist ground in sun or semi-shade.

Arendsi, Geres. Light rose, silvery sheen. 2½ ft. July-Aug. 50 cts. each, \$5 per doz.

—Moerheimi. Creamy white. Late. 4 ft. Aug.-Sept. 60 cts. each, \$6 per doz.

—Privess Julians. Soft pink. 2 ft. July. 50 cts. each.

60 cts. each, \$6 per doz.

Frincess Juliana. Soft pink. 2 ft. July. 50 cts. each.

Queen Alexandra. Deepest pinkish red. 2 ft. JulyAug. 50 cts. each, \$5 per doz.

Salland. Distinct red. Late. 4 ft. Aug.-Sept. 60 cts.
each, \$6 per doz.

W. E. Gladstone. Large; white. 2-2½ ft. July. 50
cts. each, \$5 per doz.

TRANTIA corniolica rosea. Light pink. 2 ft. Supports

cts. each, \$5 per doz.

ASTRANTIA corniolica rosea.
mer. 35 cts. each. Light pink, 2 ft. Sum-

UBRIETIA. Ordinary soil in light shade.
*deltoidea graeca. Purplish blue. 6 in. April-May. 30 cts. each, \$3 per doz.
*Mixed Hybrids. Mixture of large-flowering varieties. 6 in. April-May. 30 cts. each, \$3 per doz. AUBRIETIA.

BAPTISIA. Ordinary soil in sun. australis (False Indigo). Dark blue. 3-4 ft. May-July.

Ordinary soil in sun.

Ordinary soil in sun. (Blackberry Lily.) BELAMCANDA. chinensis (Pardanthus chinensis).
Orange. 3 ft. July-Aug.

BELLIS. Ordinary soil in sun or light shade.
*perennis (English Daisy). Double; white and plnk.
5 in. May-June. 10 cts. each, \$1 per doz.

. Ordinary soil in sun or light shade, japonica). (Pink Plume Poppy.) Pinkish white. July-Aug. BOCCONIA. cordata (japonica). 6-8 ft. July-Aug

BOLTONIA. Ordinary soil in sun. asteroides (White Boltonia). White. 4½-5 ft. Aug.-S latisquama (Violet Boltonia). Pink, tinged lavender. Aug.-Sept. Aug.-Sept.

DDLEIA. Well drained soil in sun. avidi magnifica (Butterfly Bush). superb shrub. 50 cts. and \$1 each. BUDDLEIA. Lilac-mauve.

BUPHTHALMIUM. Ordinary soil in sun. salicifolium (Willowleaf Ox-eye). Yellow. 11/2 ft. June-July.

speciosum (cordifolium). (Hyellow., 3-4 ft. June-July. (Heartleaf Ox-eye). Large;

ALAMINTHA. Ordinary soil in sun. . *satureia alpina. Purple, 6 in. June. CALAMINTHA.

ALIMERIS. Ordinary soil in sun. incisa. Light purple, yellow stamens. 2 ft. July-Aug. CALIMERIS.

CALLIRHOE. Well drained soil in sun.
*involucrata (Low Poppy Mallow). Crimson; white center. 12 in. June-Sept.

CALLUNA.



CYCLAMEN HEDERAEFOLIUM (Page 9)

CAMASSIA. Ordinary soil in sun or semi-shade. esculenta (quamash). Light blue. 2½ ft. 1 May-June.

esculenta (quames.).
30 cts. each.
leichtlini (Camas). Yellow, star-like flowers; early. 3-4
ft. May-June. 50 cts. each.
leichtlini alba. Creamy white, star-like flowers. 3 ft.
May-June. 60 cts. each.

CAMPANULA. Well drained soil in sun. alliariaefolia (Spurred Bellflower). Wr 30 cts. each, \$3 per doz. *carpatica (Carpathian Bellflower). L White. 2 ft. Light blue.

*carpatica July-Aug.
*carpatica alba. White. 6 in. July-Aug.
*carpatica alba. White. 6 in. July-Aug.
glomerata. Purple. 1½ ft. June-July.
glomerata superba (Showy Cluster Beliflower). Clusters
of deepest blue. 1½ ft. June-July. 30 cts. each. season.

latifolia macrantha (Royal Bellflower). Purple. 3 ft.

latifolia macrantha (Royal Bellflower). Purple. 3 ft.
June-July.

Medium (Canterbury Bells). Blue, Rose, and White.
2 ft. June.

Medium calycanthema (Cup-and-Saucer Bellflower). In
Blue, Lilac, Rose, and White. 2 ft. June.
persicifolia (Peachleaf Bellflower). Blue. 2 ft. June-

July

persicifolia fl. plena. Double peach-leaved Blue. 2 ft. June-July. 40 cts. each. persicifolia alba. White. 2 ft. June-July. campanula.

White; double. persicifolia Moerheimi. 60 cts. each. 2 ft. June-July.

*Portenschlagiana (Dalmatian Bellflower). Dark blue.
5 in. May-June. 50 cts. each.
punctata (nobilis). (Spotted Bellflower). Spotted purplish rose; distinct. 30 cts. each. 2 ft. June-July.
pyramidalis (Chimney Bellflower). Blue and white. 4-5

ft. Aug.-Sept.
*rotundifolia (Harebell). *rotundifolia (Harebell). Blue. 1 ft. June-Aug. trachelium (Coventry Bells). 2-3 ft. June-July. June-Aug.

NNAS. We offer only the best varieties and the most desirable colors. Prices according to the variety. CANNAS.

CAREX. *Morrowi foliis variegatis. semi-shade. Yellow variegated foliage. 1 ft.

CARYOPTERIS. Ordinary soil in sun.

incana (mastacanthus). (Bluebeard). 3-4 ft. Sept.-Oct. 50 cts. each. Lavender-blue.

CASSIA. Ordinary soil in sun.

Marilandica (Wild Senna). Yellow and bronze. 3-4 ft. June-Sept.

CATANANCHE. Ordinary soil in sun.
caerulea (Blue Cupid's Dart). 2 ft. June-Aug.
caerulea bicolor. White and blue. 2 ft. June-Aug.

CEDRONELLA. Ordinary soil in sun. cana (Hoary Cedronella). Crimson. cana (Hoary (35 cts. each. 2½ ft.

CENTAUREA. Ordinary soil in sun.

x babylonica (Syrian Centaurea). flowers. 5-6 ft. July. Sold out. White foliage; yellow

Clementei (Spanish Centaurea). Plant densely white and woolly. 3 ft.

dealbata (Persian Centaurea). Rose. 11/2 ft. July-Aug. macrocephala (Globe Centaurea). Yellow. 3 ft. July-Aug.

montana (Mountain Bluet). Violet-blue. 2 ft. June-Sept.

montana alba. White. 2 ft. June-Sept.

montana rosea (Rose Centaurea). Rose. 11/2 ft. June-Sept.

ruthenica (Ruthenian July. 35 cts. each. (Ruthenian Centaurea). Sulphur-yellow. 3 ft.

CENTRANTHUS. Ordinary soil in sun.

ruber (Jupiter's Beard). Crimson. 3 ft. June-July. ruber albus. White. 3 ft. June-July.

in sun.
5 ft. ARIA. Ordinary soil in sun. Delicate sulphur-yellow. 5 f J. Yellow. 5-6 ft. June-July. CEPHALARIA. alpina. tatarica. June-July.

CERASTIUM. Ordinary soil in sun.

*Biebersteini (Taurus Cerastium). White. 6 in. May-June.

*tomentosum (Snow-in-Summer). White. 6 in.

CERATOSTIGMA. ERATOSTIGMA. Ordinary soil in sun. *plumbaginoides (Larpente Plumbago).

Deep blue. 6-8 Aug.-Sept. in.

HIERANTHUS. Well drained soil in sun.
*allioni (Wallflower). Orange shade. 1 ft. June-July.

CHELONE. Ordinary soil in glabra (Turtlehead). Red oil in sun. Reddish flowers. 2-3 ft. Aug.-Sept.

glabra alba. White. 2-3 ft. Aug.-Sept. Lyoni Hybrids. Many shades. 2-3 ft. Aug.-Sept. HIVES (Herb). Used in the kitchen.

CHIVES (Herb).

CHRYSANTHEMUM. Rich soil in sun.

arcticum (Arctic Chrysanthemum). 1-1½ ft. Sept.-Oct. Late fall; white.

arcticum roseum (Pink Arctic Chrysanthemum). 1-1½ ft. Sept.-Oct. balsamita (Tanacetum balsamita). (Costmary).

grant leaves. 2-3 ft.

coccineum roseum (Pyrethrum roseum). (Painted Lady). Showy blooms. 2½ ft. May-June. maximum, Alaska. Called Shasta Daisy. White. July-Sept.

nipponicum (Nippon Ox-eye Daisy). White. Single.

Single. uliginosum (Pyrethrum uliginosum). (Giant Daisy).

White daisy with yellow center. 4-5 ft. Aug.-Sept. indicum (japonicum). (Mother Chrysanthemum). Only the best hardy varieties, distinctive in color, grown: Alice Howell. Orange. 3 ft. Oct.
 Brown Bessie. Pompon. Bronze-red. 2 ft. Oct.

Cranferd's White. 2 ft. Oct. Davenport. Pink. 3 ft. Oct.-Nov. Harvest Moon. Yellow. 1 ft. Oct. 15th.



DORONICUM (See Page 11)

AVSANTHEMUM (Cont'd.)
Idolf. Salmon-pink. 2 ft. Sept.-Oct.
L'Argentuillais. Deep chestnut. 2 ft. Oct.
Lillian Doty. Pompon. Shell-pink; early. 3 ft. Oct.
Maduse. Terra-cotta. 2½-3 ft. Oct.
Maid of Kent. Pompon. White, later becoming pink-Maduse. Terra-cotta. 2½-3 ft. Oct.
Maid of Kent. Pompon. White, later becoming ish. 2½-3 ft. Oct.
Marie Dupont. White; large; very early. 3 ft.
Mme. Auguste Nonin. Delicate pink. 2½-3 ft. Sept.-Oct. Pink. 3 1... ft. Sept.

Mrs. H. Harrison. Pompon. Pink. 3 ft.

Normandie. Delicate pink. 1½ ft. Sept.
October Gold. Orange-yellow. 2 ft. Oct.
Ruth Cummings. Reddish bronze. 2½ ft.
Skibo. Pompon. Old-gold-yellow. 1-2 ft.
Tints of Gold. Yellow. 1-2 ft. Sept.
Western Beauty. Pink. 2-2½ ft. Sept.-Oct.
Yellow Normandie. 2½-3 ft. Oct. Sept.-Oct. Oct. Sept.-Oct.

CIMICIFUGA. Acid soil in shade.

CHRYSANTHEMUM (Cont'd.)

foetida simplex (Bugbane). Late-blooming; white spikes. 2-3 feet. July. 50 cts. each, \$5 per doz.

racemosa (Cohosh Bugbane). Creamy white. 4-6 ft.

July-Sept. 35 cts. each.

CLEMATIS.

LEMATIS. Ordinary soil in sun.
heracleaefolia Davidiana (Tube Clematis).
blue. 3 ft. Aug.-Sept. 50 cts. each. Lavender-

integrifolia. Showy blue. 2 ft. July. 50 cts, each. x orientalis (Oriental Clematis). Yello 50 cts. each. Sold out for season.

50 cts. each. Sold out for season.

paniculata (Sweet Autumn Clematis). White, fragrant flowers. A climbing vine. 50 cts. and \$1 each.

recta. White. 4 to 6 ft. July-Sept. 50 cts. each.

viticella (Italian Clematis). White. 60 cts. each.

CODONOPSIS. Well drained soil in sun.

*(Glossocomia) clematidaca. Light blue. 1 ft. 50 cts. each.

CONVALLARIA. Moist soil in light shade.

*majalis (Lily-of-the-Valley). White, wax-like-drooping blooms. 9 inches. May-June.

COREOFSIS. Ordinary soil in sun. lanceolata (Tickseed). Golden yellow. 2 ft. lanceolata flore-pleno. Semi-double. 2 ft. June-Oct. June-Oct. cts. each.

verticillata (Threadleaf Coreopsis). Small, yellow flowers. July-Aug.

DRONILLA. Ordinary soil in sun. varia (Crown Vetch). Bright pink. 1-2 ft. June-Oct. CORONILLA.

CYCLAMEN.

Leafmold soil in shade.

Cyclamen). Purplish red. 6 in. x*europeum (European Cyclamen). Purplish
Sept.-Oct. Sold out for season.
*Macrophyllum. Larger than hederaefolium.

Summer. each.

*Neapolitanum (hederaefolium). Red. 6 in. Sept.-Oct.

CYNANCHUM. Ordinary soil in sun. acuminatifolium (Mosquito Trap). White. 1½ ft. June.

DAHLIA. Good roots 25 cts. up, according to the variety.

APHNE. Moderately rich soil in light shade, *Cneorum (Garland Flower). Sweet-scented; bright pink flowers in May, scattering bloom all summer. A splendid rock garden shrub. \$1, \$2, and \$3 each and up. DAPHNE.

ELPHINIUM. Rich soil in sun.

English Hybrids. Choicest single and double. 4-6 ft.

June-Sept. 50 cts. and \$1 each.

formosum, Belladonna. Sky-blue. 3 ft. June-Oct.

grandifforum (Siberian Larkspur). Dwarf; blue. 2 ft. DELPHINIUM.

grandiflorum album. White. 2 ft. June-Oct. x Moerheimi. Best white. Sold out for season. Wrexham Hybrids. A superb variety in many choice shades. Each, \$1.00; Doz. \$10.00.

DESMODIUM. Well drained soil in sun. **pendulifiorum** (Pea Shrub; Tick Clover). Rose-purple.
Aug.-Oct. 50 cts. and \$1 each.

Aug.-Oct. DIANTHUS. Moderately rich soil in sun.
*Alwoodi, Harold (Pink Carnation). White; double.
in. May-Sept. 35 cts. each.

May-Sept. 35 cts. each. n. White, with crimson centers. 12 in. May-Sept.

12 in. May-

12 in. May-

in. May

Jean. White, ...

35 cts. each.

Mary. Pink, maroon center, ...

Sept. 35 cts. each.

Sept. Rose, maroon center; single.

Ats. each.

Single and

18 in. June *barbatus (Sweet William).
in most beautiful shades.
each, \$2 per doz. Single and double flowers June-July. 20 cts. each, \$2 per doz. *caesius (Cheddar Pink).

Very low-growing; pink. May-July. 35 cts. ea. *carthusianorum (Carthusian Pink). Red. 15 in. June-

July. 30 cts. each.

*deltoides (Maiden Pink). Small; pink. 6 in. Jun

*—Brilliant. Brilliant carmine. 6 in. Creeping.
July. Each, 30c.

hybridum, Wienna. Perfectly hardy Carnation. June-July. June-

hybridum, Perfectly hardy Carnation. 11/2 ft. July.

July.

Napoleon III. Double; dark crimson. 1½ ft. J
50 cts. each. Sold out.

*plumarius (Grass Pink). Brilliant color combinat
fragrant. 1 ft. May-June.

*plumarius, Bose de May. Double; pink. 1 ft. M
June. 35 cts. each.

*White Reserve.** White; double. 1½ ft. June-July. Brilliant color combination;

June. 35 cts. White Reserve. cts. each. 35

CENTRA. Ordinary soil in sun or *eximia (Fringed Bleeding-Heart). DICENTRA. or light shade. Rose. *spectabilis (Bleeding-Heart). Heart-shaped pink flowers.

May-July. \$1 each.

ICTAMNUS. Ordinary soil in sun.
Fraxinella (Gas Plant). Rose-pink. 2-3 ft. June-July.
50 cts. and \$1 each.
fraxinella alba. White. 3 ft. June-July. 50 cts. and DICTAMNUS.

\$1 each.

DIGITALIS. Moderately rich ambigua (Yellow Foxglove). Moderately rich soil in sun. Pale yellow. 2-3 ft. June-July.

purpurea, Mixed. White, Rose, Lilac, and Purple. 2-3 ft. June-July.



ERYNGIUM BOURGATI (Page 12)

caucasicum (Caucasian Leopard's Bane). Bright yellow. 2 ft. May-June. 30 cts. each. magnificum (Sunflower Leopard Bane). 3 ft. May-June. 50 cts. each.

plantagineum excelsum. Brightest yellow. 2 ft. April-May. 30 cts. each.

RABA. Well drained soil in sun.

**verna (Whitlow Grass). Arabis-like whit

DRABA.

*verna (Whitlow in. April-May. Arabis-like white flowers. ECHINACEA.

CHINACEA. Rich soil in sun. purpurea (Hedge-hog Coneflower). Reddish purple. 3-4 ft. July-Aug.

ECHINOPS. Ordinary soil in sun.
humilis (Globe Thistle). Low; light blue. 3 ft. July-Aug. Bitro (Steel Globe Thistle). Metallic blue. 3-4 ft. July-

Aug. phaerocephalus (Common white. 4-5 ft. July-Aug. sphaerocephalus Globe Thistle). Purplish

ELSHOLTZIA.

SHOLTZIA. Ordinary soil in sun. tauntoni. Lilac-rose flowers. Foliage has a delightful aromatic fragrance. 50 cts. each, \$5 per doz. Stauntoni.

ELYMUS. Ordinary soil in sun.
canadensis glaucifolius (Wild Rye). Narrow, glaucous
foliage. 3 ft. 35 cts. each.
EPIMEDIUM. Woodland soil in shade.
*macranthum niveum (Barrenwort). White. 9 in. May-

40 cts. each. June.

*macranthum roseum. Red. 9 in. May-June. 30c ea. *sulphureum. Pale yellow. 9 in. April-June. 35 cts. ea. RIANTHUS. Well drained soil in sun.

ERIANTHUS. Well drained soil Ravennae (Ravenna Grass). Grass. 5-7 ft. 50 cts, each. Resembles the Pampas ERIGERON. Ordinary soil in sun.
*alpinus (Fleabane). Purple-blue. 9 in. June-July.

30 *aurantiacus. Ora cts. each. Orange. A snc. 15 in. July. A showy plant, 9 in. July-Aug.

Coulteri. White. 15 in. July.
glaucus. Rosy purple.
speciosus. Purple. Very handsome. 2 ft. June-July.
speciosus grandiflorus (Oregon Fleabane). Dark lilac.
2½ ft. June-July.



GENTIANA ACAULIS

ERODIUM. RODIUM. Well drained soil in sun. *Manescavi (Heron's Bill). Purplish red. 12 in. July.

EYNGIUM. Ordinary soil in sun or semi-shade amethystinum (Amethyst Eryngo). Amethyst 3-4 ft. June-Sept. *Bourgati. Distinct down cts. cest. ERYNGIUM. Amethystine blue.

June-Aug. 40 each.

cts. each. *maritimum. num. Glaucous blue foliage. Pale blue blooms. July-Aug. Sold out. num. Blue. 2 ft. July-Aug. 50 cts. each. Blue. 2 ft. July-Sept. 3 ft. July-Oliverianum.

planum. Blue. 2 ft. ERYSIMUM. Dry soil in sun.
*pulchellum (Blister Cress). Bright yellow. 4-6 in.

June-July. *rupestre (Asiatic Blister Cress). Deep orange. 8 in. May-June. 30 cts. each. EUONYMUS.

TONYMUS. Ordinary soil in sun or light shade.
radicans (Winter Creeper). Vine. Dull green leaves. radicans argenteo-variegata. Variegated foliage.

and \$1 each.
radicans kewensis (Baby Wintercreeper). 50 cts. each.
radicans vegetus. Glossy foliage. 50 cts. each.

EUPATORIUM. Ordinary soil in sun.
coelestinum (Mist Flower). Light blue. Good for cutting. 2 ft. Aug.-Oct.
urticaefollum (ageratoides). (Snow Thoroughwort). White. 4 ft. July-Aug


CPHOREIA. Ordinary soil in sun, corollata (Flowering Spurge). Not unlike gypsophila; small white flowers with green eye. 2-3 ft. July. epithymoides (polychroma). (Cushion Spurge). Chrome-yellow. 2 ft. April-May. 50 cts. each. EUPHOREIA.

FESTUCA. Ordinary soil in sun.
*glauca (Fescue Grass). Glaucous green. 9-12 in.

KLIPENDULA. Ordinary soil in sun. hexapetala flore-pleno (Double Dropwort). ft. May-June. palmata (Siberian Meadowsweet). Pink. FILIPENDULA. 1 1/2 White. 2 ft. June-July. venusta (Carmine Meadowsweet). rubra 4 ft. June.

35 cts, each.
Ulmaria flore-pleno
White. 4-5 ft. Ju (Double European Meadowsweet). July-Aug.

GAILLARDIA. Moderately rich soil in sun. aristata (grandiflora). (Blanket Flower). Mixed colors. aristata (grandiflora). 1-2 ft. All summer.



GALTONIA CANDICANS

ALEGA. Ordinary soil in sun.
officinalis (Goat's Rue). White. 3-4 ft. July.
officinalis Hartlandi. Pale blue. 3-4 ft. July.
officinalis Hartlandi rosea-plena. Double; rose-lavender. GALEGA. 3-4 ft. July. 30 cts. each.

Ordinary soil in sun. (Summer Hyacinth 3 ft. Aug.-Sept, 20 GALTONIA. Hyacinth). inth). Bell-shaped whi 20 cts. each, \$2 per doz. candicans white flowers.

GAULTHERIA. Acid soil in shade.

*procumbens (Wintergreen). Evergreen, White followed by red berries. 3-6 in. May-June. White flowers, each.

GAURA AURA. Ordinary soil in sun.
Lindheimeri. White, butterfly-like flowers. 3 ft. June to fall.

**ENTIANA. Gritty peaty soil in sun or light shade.

**acaulis (Stemiess Gentian). Blue. \$1 each.

*Andrewsi (Closed Gentian). Deep blue. 30 cts. each.

1-2 ft. Aug.-Sept.

*cruciata (Cross Gentian). Dark blue. \$1 each.

**Preymiana (Freyman's Gentian). Dark blue. \$1 each.

**Preymiaski. Brilliant blue. 50 cts. each. July. 6 in.

*septemfida cordifolia. Blue. \$1 each.

**tibetica. White. Sold out for season.

*Walujewi (Walujew's Gentian). White, dotted with blue.

15 in. 60 cts. each. GENTIANA.

GERANIUM. Well drained soil in sun.
nepalense. Deep pink. Large flowers. 1½ ft.
*sanguineum. Bright crim*on. 2 ft. May-Aug.
*—album (Crané's Bill). White. 1 ft. May-July.
*—lancastriensis. Light pink. 6 in. July-Aug. 30 cts.

GERARDIA. Ordinary soil in sun or light shade. **grandiflora.** Pretty pink, like small foxgloves. Summer. 30c each. 18 in.

ERBERA. Ordinary soil in sun.

Jamesoni (Transvaal Daisy). Beautiful colors or rich texture. 2½ ft. Aug.-Sept. 75 cts. each. Protection. GERBERA

GEUM.

EULT. Ordinary soil in sun. atrosanguineum (Avens). Blood-red. 1-2 ft. May-June. bulgaricum (Bulgarian Avens). Showy red-orange. 1 ft. July-Aug. 30 cts. each.

Diligaricum (Bulgarian Avens). Showy red-orange. 1 ft. July-Aug. 30 cts. each.
Chiloense, Mrs. Bradshaw. Orange-red; half-double. 2 ft. June-Sept. 35 cts. each, \$3.50 per doz. Heldreichi. Orange. 1½ ft. May-July.
Lady Stratheden. New. Double; yellow. 2 ft. June-Sept-Advences.

Sept. 40 cts. each.

GILLENIA. Ordinary soil in sun. trifoliata (Bowman's Root). White, tinged pink. 3 ft. May-July. 35c each.

ADIOLUS. 40 cts. per doz. and up, according to variety and size of bulbs. CLADIOLUS.

GLAUCIUM Fisheri (Horned Poppy). Yellow. 2 ft. Summer. White foliage, attractive, distinct. 40 cts. each.

GLOBULARIA. Ordinary soil in sun.
*trichosantha (Globe Daisy). Blue flowers in globular
heads. 6 in. May-June. 30 cts. each.

ASSES. For the collection see general arrangement in alphabetical order. GRASSES.

GYNERIUM. Rich soil in sun. argenteum (Pampas Grass). Aug.-Oct. \$1 each. Very attractive. 6 ft.

YPSOPHILA. Ordinary soil in sun.
paniculata (Baby's Breath). Plant of gauze-like appearance. 2-3 ft. June-July. GYPSOPHILA.

Little, double rosette-like flowers.

ance. 2-3 ft. June-July.
paniculata flore-pleno. Little, double rosette-like f
2-3 ft. July-Aug. \$1 each.
Bokejeka. Pink. July-Aug. 3 ft. 30 cts. each.
paniculata flore-pleno, Bristol Fairy. White;
double. Very choice. \$1.00 each.
Ehrlet. White, extra double, blooms all season. 2-3 ft.

June-

Low: pink.

Birlei. White, extra double, blooms
\$1.00 each.
*repens (Creeping Baby's Breath). White. 6 in.
July. 30 cts. each.
*repens rosa (Creeping Baby's Breath). Low
6 in. June-July.

Cool soil in semi-shade.

Diffective for covering wal HEDERA. Effective for covering walls, etc. 25 cts. up, according to sizes.

EELENIUM. Ordinary soil in sun. autumnale (Sneezeweed). Golden yellow. 4-6 ft. Aug.-Sept.

antumnale rubrum. Terra-cotta. 4 ft. Aug.-Sept. Bolanderi. Yellow, dark disk. 2½-3 ft. July-Sept. 30 Bolanderi. cts. each.

Hoopesi. Orange-yellow. 3 ft. May-Aug.

#ELIANTHEMUM. Well drained soil in sun.
*Chamaecistus grandifiorum (Sun Rose). Single double flowers, in white, pink, red, and yellow. 6-June-July. 30 cts. each. and

MELIANTHUS. Ordinary soil in sun.

Miss Mellish (Sunflower). Rich yellow. 6 ft. Sept.

multiflorus flore-pleno. Double; yellow with orar
sheen. 4-5 ft. Aug.-Sept.

orgyalis. Graceful flowers of golden yellow. 6-8

Sept.

Soleil d'Or. Golden yellow. 4-5 ft. Aug.-Sept. 6-8 ft.

MELIOPSIS. Ordinary soil in sun. helianthoides Pitcheriana (Pyellow. 3-4 ft. July-Sept. scabra zinniaeflora (Zinnia yellow. 2-3 ft. July-Sept. (Pitcher Heliopsis). Heliopsis). Semi-double:

#ELLEBCRUS. Rich soil *niger (Christmas Rose). Feb.-March. \$1 each. Rich soil in semi-shade. nas Rose). White; leaves evergreen. 1 ft.

REMEROCALLIS. Ordinary soil in sun. aurantiaca (Orange Day Lily). 3 ft. July. flava (Lemon Day Lily). Lemon-yellow; fragrant.

May.
fulva (Tawny Day Lily). For naturalizing. 2-3 ft. July
fulva Kwanso fore-pleno. Orange-red; semi-double. 2-1

fulva Kwanso noro-prono.
ft. July-Aug.
lnteola (Golden Day Lily). Yellow.
Middendorffi. Golden yellow. 2-3 ft.
Orange Man. Good. 2-3 ft. July.
Thumbergi. Yellow. 3 ft. Summer. Yellow. 4 ft. July. w. 2-3 ft. June-July. HERNIARIA.

Ordinary soil in sun. stwort). Tiny creeper, foliage turns red in *glabra (Burstwort). 1 inch.

Acid soil in shade. REPATICA

triloba (Roundlobe Hepatica). Light blue, 6 in. April-30 cts. each.

ESPERIS. Ordinary soil in sun. matronalis (Dame's Rocket). V June-July. xnives. HESPERIS. White or pink. 2-3 ft.

Very rare White. June. and choice. 15 in. 40 cts. each. Sold out.

HEUCHERA. Ordinary soil in sun. americana (American Alum Root). 1½-2 ft. July. Foliage ornamental.

brizoides (Pinkbells). inkbells). Carmine-rose. 1½ ft. June-Aug. (Coralbells). Bright coral-red. 15 in. June-June-Aug. *sanguinea (Coralbe Sept. 30 cts. each. *sanguinea alba. Creamy white. 15 in. June-Sept.

HIBISCUS. Shades of white, pink,

IBISCUS. Ordinary soil in sun or light shade. grandiflorus (Great Rose Mallow). Shades of white, red, and crimson. 4-6 ft. Aug.-Sept. Moscheutos (Common Rose Mallow). Light rose.

ft. Aug.-Sept.

OSTA (Funkia). Ordinary soil in sun. caerulea (Blue Plaintain Lily). Light blue. Leave bluish sheen. 1-2 ft. July-Aug.
Portunei. Flowers mauve; metallic blue foliage. HOSTA Light blue. Leaves have

2 ft. Aug te. 1-2 ft. Aug.

July-Aug.
lancifolia. Lilac; narrow green leaves. 2 ft. A
—albo-marginata. Leaves margined white. 1-2
—aureo-maculata. Yellow marking. 1-2 ft.
—undulata. White-and-green variegated foliage.
plantaginea (White Plaintain Lily). White,
flowers. 2 ft. 30 cts. each, \$3 per doz. 1-2 ft scented

HYDRANGEA. Ordinary soil in sun.

hortensis. Different sizes in the best varieties, 50 cts. to

\$5 each, and higher, according to size.

Well drained soil in sun. (Gold Flower). Golder 50 cents and \$1 each. HYPERICUM. Golden yellow. Moserianum 1 1/4 ft. June-Sept.

HYSSOPUS. Ordinary soil in sun.
officinalis (Hyssop). Low green bush; scented leaves.
1-2 ft. June-Aug.
officinalis rosea. Rose-pink. 1-2 ft. June-Aug. 30 cts. each.

IBERIS.

BERIS. Ordinary soil in sun. *gibraltarica (Gibraltar Candytuft). Delicate lilac. 1 ft. May *gibraltarica, Snowball. Big; white. 1 ft. May-June.

30 cts. each. *sempervirens. Pure white. 10 in. April-May.

INCARVILLEA.

(CARVILLEA. Rich soll in semi-shade.
Delavayi (Hardy Gloxinia). Rose-color
40 cts. each, \$4 per doz.
grandiflora. Deeper pink than above.
cts. each, \$4 per doz. Rose-color. 11/4 ft. June.

June. 1 ft. 40

INULA.

**TULA. Ordinary soil in sun.

*ensifolia (Swordleaf Inula). Yellow. 8 in. July.
glandulosa. Large; bright yellow. 3-4 ft. July.

*Royleana (Blackbud Inula). Showy; orange-yellow. 3-4 ft. July.

*Royleana (Blackbud Inula). Showy; orange-yellow. 3-5 cts. each, \$3. July-Aug. orange-yellow. each, \$3.50 per doz.

IRIS GERMANICA

(Germanica or Plag Iris)

My collection of over 50 varieties contains the most at-tractive and interesting Irises that flower in May and June.

Named varieties, 25 cts. each, \$2.50 per doz.;

Mixed, \$1.50 per doz. except where otherwise noted.

S., standards; F., falls.

Admiral Togo. S. white; F. and S. lightly bordered purple. 40 cts. each.

Albert Victor. S. soft blue; F. soft lavender. 35 cts. each.

S. light bluish violet; F. purple with bronze. Alcazar. 75 cts. each.

TRIS (Cont'd.)

Archeveque. Deep violet-purple. 60 cts. each.
Asiatica Trojana. S. pale blue; F. violet. 40 cts. each.

Aufernich. F. dark, smoky reddish purple.

Caprice. Rosy red. 30 cts. each.

Celestine. Clear pale blue.

Cherion. Lilac-mauve.

Comte de Claire. Deep violet, margined white.

C. Wedge. S. gray; F. plum, edged with white. 30 cts. each.

Fairy. S. and F. white. 30 cts. each.

Flavescens. Pale yellow.

Gertrude. Violet-blue. 50 cts. each.

Honorabile. S. golden yellow; F. mahogany-brown.

Isoline. S. silvery lilac; F. mauve. 50 cts. each.

Johan de Witte (Amabilis.) S. Pale lilac; F. velvety crimson.

Juniata. Clear blue; fragrant. 50 cts. each.

La Tendresse. Delicate lavender and lilac. 30 cts. each.

Lohengrin. Delicate lavender and lilac.

Lord Salisbury. S. amber-white; F. dark violet-purple. 35 cts. each. S. light yellow; F. ultramarine-blue. Loreley. 40 cts.

each. Loyalty. Lavender-purple. 40 cts. each.

Mandraliscae. Rich lavender-purple. 50 cts. each.

Minnehaha. Cream-white. 75 cts. each. Mme. Chereau. Pure white. 75 cts. each.

Monsignor. S. violet; F. purple-crimson. 40 cts. each. Nibelungen. S. olive-green; F. yellow, purple, and white. Pallida Dalmatica. Lavender, 30 cts. each.

Pallida odoratissima (speciosa). S. and F. dark lavender.

30 cts. each. Parisiensis. Fine blue. 30 cts. each. Perfection. Light blue. 60 cts. each.

Phoenix. Light lavender, yellow markings.Prestige. Light lavender. 40 cts. each.

Princess Victoria Louise. S. yellow; F. violet-red. 50 cts. each.



An established individual clump of Japanese Irises



JAPANESE IRISES

IRISES (Cont'd)

Purple King. Deep purple. 30 cts. each. Quaker Lady. S. smoky lavender; F. blue and gold. 40 cts. each.

Queen Alexandra. S. fawn; lilac, with bronze. 40 cts. each.

Queen of May. Soft rosy, almost pink.

Radiance. S. silvery mauve; F. velvety purple. 50 cts. each.

Rhein Nixe. S. pure white; F. deep blue. 50 cts. each.

Sambucina. Rich purple. Early. Spectabile. S. and F. deep purple.

Sherwin-Wright. Golden yellow. 50 cts. each.

The Bride. White, shaded lilac.

Trautlieb. Pinkish. 30 cts. each.

White Knight. Clear white. \$1 each.

Wyomissing. S. bluish-white; F. deeper, to flesh. 75 cts. each.

*Irls pumila formosa. Royal blue and purple.
 *Bride. Large; white. 30 cts. each.
 *Intea. Yellow.

JAPANESE IRISES

Gorgeous iris which embrace a host of delightful shades and help to prolong the Iris season. They follow the and help to prolong the Iris seasor German iris in the period of bloom.

My collection consists of nearly 100 named varieties, in-cluding many of the most valuable ones.

35 cts. each, \$3.50 per doz., except where otherwise noted.

Airship. Double, Sky blue, white veined. \$1 each. Agnes Reed. Dark violet with light shadings. each.

Amethyst. Exquisite lavender shade. \$1 each.

Apollo. White, with pink center. 50 cts. each.

Azure. Mauve-blue. \$1 each.

JAPANESE IRISES (Cont'd)

Bandai-no-Nami. White. 50 cts. each. Bashu-no-Ten. Gray, veined blue. 75 cts. each. Betty Jean Childs. White, splashed with purple.

Blue Danube. Blue-true.

Blue Flag. Indigo-blue.

Maroon, veined white. 50 cts. each. Bride.

Catherine Parry. Indigo blue, prettily marked. 60 cts. each.

Cilia. Double. Pink, spotted and sprinkled. 75 ets. each.

Clarice Childs. Violet red. 50 cts, each.

x Child's Beauty. Creamy yellow. Sold out. Choseiden. Light purple.

Daisy Herrington, 3 petals, light lavender. 60 cts. each. Datedogu. Violet-purple. 40 cts. each. Doris Childs. veined rosy-plum.

6 petals, pearl white, 60 cts. each.

Dominator. Indigo-blue. 75 cts. each.
Eleanor Parry. 6 petals, claret red. 75 cts. each.
Pascination. Lavender. 75 cts. each.
Panny Hamlet Childs. 6 petals, violet purple, mottled Fanny Hamlet Childs. 6 petals, violet purple, white. 50 cts. each.
 Frances E. Cleveland. 6 petals, large pearl color.

each.

Gekka-no-Nami. Double. White, often lavender sheen. 60 cts. each.

Gold Bound. Pure white. 50 cts. each.
Gomo-no-Umi. Double. Clear white. 40 cts. each.
Granite. White, penciled and veined with rose-purple. Granite. Whit 50 cts. each.

Gypsy. Deep pink. \$1 each.

Hano-no-Mio. Mahogany-red; late. 40 cts. each.

Ho-o-jo. Purple, mottled.

Hosogawa. Purple with white veinings.

Helen von Siebold. Reddish, veined white.

Helen Wells. Single. Amethyst-violet. \$1 each.

Indo. Dark blue. 75 cts. each.

Iso-no-Nami. Soft blue, sprinkled with lavender. 75 cts. each.

Jeanette Parry. 3 petals, white with bluish violet lines. 50 cts. each. Josephine Haywood. 3 petals. Deep blue, with purplish sheen. 50 cts. each.

Kagarabi. Single. Deep mahogany-red. 50 cts. each.

Koki-no-Iro. Purple.

Kokirin. White, heavily veined. Late. 40 cts. each.

Romata. Sky-blue, veined and splashed white.

Kumo-no-Obi. Lavender, white lines.

Rumo-no-Shi. White, edged reddish pur **Rumo-no-Ue.** Blue-lavender, light sheen. White, edged reddish purple.

Lavender Queen. Single. Lavender. 75 cts. each.

Mahogany. Mahogany-red. 50 cts. each.

Margaret S. Hendrickson. 9 petals. Soft bluish from white center. \$1 each.

Momiji-no-Taki. Silvery gray, splashed purplish rose. \$1 each.

Moro-no-Suld. White with purplish sheen. 50 cts. each. Mt. Fell. Double. White veined. Late. \$1 each.

Mt. Hood. Double Double. Purple with blue, toward center orange. \$1 each.

Nagano.

Navarre. Purplish blue, veined darker, white edge. Showy. \$1.50 each.

Showy, \$1.50 each.

Meptune. Single. Mahogany-red.

Nightfall. Single. Deep black-blue. Wavy. \$1.50 ea

Norma. Exquisite silky lavender-pink. 75 cts. each.

Old Rose. A self-color of old rose. 60 cts. each.

Ojino Hotaru. Enormous, bright purple flowers w

white sheen; extra fine. Latest. \$2 each.

Orion. White with broad border of old-rose. Wavy. \$1.50 each.

flowers with

Osho-Kun. Tyrian-blue.

Oyado. Darkest maroon. Low-growing. 60 cts. each. Painted Lady. White, suffused and veined pink. \$1 ea. Painted Lady.

JAPANESE IRISES (Cont'd.)

Pink Progress. Ashy gray-lavender. \$1 each.

Porcelain Sceptre. White, suffused blue, center pink. 75 cts. each.

Deepest dark purple. Prince C. de Rohan. 75 cts. each. Purple and Gold. Violet-purple.

Pyramid. Violet-purple, veined white.

Red Riding Hood. Reddish, wavy. 60 cts. each.

Rinho. Double. Purple.

Rose H. Scheepers. 6 petals. Mauve gray, with darker shadings. 75 cts. each.

Sano Watashi. Double, White, 40 cts. each. Seco-no-Nami. Single. Reddish purple, sprinkled white. Very early.

Shadow. Reddish purple. 75 cts. each. Shimoyo-no-Tsuki. White, speckled violet. Shirataki. Silvery white. Late. 40 cts. each. Shirataki. Silvery white. Shiunryo. Grayish white.

Shokko-Nishiki, Lilac on white, 40 cts, each,

Shuchuka. Crimson-purple.

Shufu-Ruku. Pinkish; showy coloring. 75 cts. each.

Spotted Beauty. White, spotted with rose-lilac. 60 cts. each.

Sufo-no-Koi. Speckled blue and white. 50 cts. each.

Taiheiraku. Double. Vinous purple.

Templeton. Light violet, mottled pink and white. 50 cts. each.

Tsuru-no-Kegoromo. White. 50 cts. each.

T. S. Ware. Deep garnet, veined white. Turban. Blue and white. 75 cts. each.

Uchin. Double. Aniline-blue, veined white. 75 cts. ea. Vase Banri. White, veined blue; blue standards, edged.

Vase Banri. White, veined black, Televet. Velvety mahogany. 75 cts. each. Victor. White, veined purple, pink center. 60 cts. each. Violet. Herrington. 6 petals. Violet, white sheen, tufted Violet Herrington. 6 petals. center, beautiful. \$1 each.

Yedo-Jiman. Royal blue. \$1 each.

Yomo-zakura. Pale lavender with rosy markings. 75 cts. each.

Zamo-no-Mori. White shaded purple. \$1 each.

IRIS, Various. germanica foliis variegaus.
Flowers light lavender. 75 cts. each.
ochroleuca. Yellow. White-striped foliage.

Rich blue. sibirica. Ric sibirica alba.

Ordinary soil in sun or light shade. (Dyer's Woad). Yellow. 6 ft. June-SATIS. Ordinar glauca (Dyer's June-July.

ENIPHOFIA (Tritoma). Ordniary soil in sun **mirabilis albida** (Torch Lily). Cream-wh Cream-white. 50 cts. each.

each.

Pfitzeri (Everblooming Flame Flower). Red and yellow.
2-3 ft. Aug.-Oct. 40 cts. each, \$4 per doz.

Express. Early-flowering; light yellow, later redish. 3 ft. June. 40 cts. each.

Proving (aladies). (Red-hot Poker). Bright red and Uvaria (aloides). yellow. 3½ ft. (Red-hot Poker). Bright red Sept.-Oct. Late. 30 cts. each. yellow. \$3

per doz.

Tucki. Light orange yellow. 3-4 ft. Early June. 40

cts. each.

LAMIUM Sandy soil in light shade.

*maculatum. A tufty, low plant with variegated foliage.
30 cts. each.

*Maculatum Album. Flowers white. 30 cts. each.

LATHYRUS. Ordinary soil in sun.
latifolius (Everlasting Pea). Rose. Climber.
—albus. White. Climber.

LAVENDULA. Light soil in sun or semi-shade. vera (Lavender). Aromatic foliage. Lave flowers. 1½ ft. July-Sept. Lavender blue

(Munstead Strain). Bushy, heavy summer bloomer. 1 ft. 40 cts. each.



LILIUM PARDALINUM

LEONTOPODIUM. Well drained soil in sun. EONTOFOLIOM.
*alpinum (Edelweiss). Gray foli
flowers. 5 in. June-July.
*sibiricum. White, large. 6 in. Gray foliage and flattened white June-July.

LIATRIS. Ordinary soil in sun

each.

pycnostachya (Gayfeather). Light purple. 4-5 ft. July-August.

CGULARIA (Senecio). Ordinary soil in light shade. clivorum, Orange Queen. Orange. 4 ft. June-Aug. LIGULARIA 35 Wilsoniana. Yellow to orange. 4 ft. July-Aug. 50 cts.

HARDY LILIES

auratum macranthum (Gold Banded Lily). Yellow ray on white; spotted. 3-4 ft. 50c and 75c each.

Batemanniae (Batemann Lily). July-Aug. 50 cts. Clear apricot. 2 ft.

canadense (Canadian Lily). July. 2 ft. 40 cts. each. Rich orange, spotted. June-

candidum (Madonna Lily). White. Fragrant and hardy. 2-3 ft. June-July. 60 cts. each, \$6 per doz.

Hansoni. Orange yellow. 3 ft. \$1.00 each.

Henryi. Golden yellow. 4-5 ft. June-July. \$1.00 each.

longifiorum . Long white flower; scented. 1-2 ft. July-Aug. 50 cts. each.

Martagon (Turk's Cap Lily). Purple. 2 ft. June-July. 75 cts. each.

pardalinum (Panther lily). Orange, spotted crimson. 50 cts. each.

regale (myriophyllum). (Royal Lily). Fragrant; white, canary-yellow at the center. 1-2 ft. June-July. canary-yellow at the 60 cts. to \$1.00 each.

speciosm album. White. 2 ft. Aug.-Sept. \$1.00 each. speciosum rubrum. White, spotted with rosy crimson.
2 ft. Aug.-Sept. 40 cts. each and up.

superbum. Orange red, spotted purple. 21/2 ft. 40 cts. each. tigrinum (Tiger Lily). Orange, spotted purplish black. 3-4 ft. July-Aug.

tigrinum fi. plena. 30 cts. each.

LIMONIUM. Ordinary soil in sun. latifolium (Bigleaf Sea Lavender). Candelabra-like pani-cles of minute, purplish flowers. 2 ft. July-Sept.

INARIA. Ordinary soil in sun or semi-shade. *Cymbalaria (Kenilworth Ivy). Pinkish lilac. LINARIA. Trailer. une-Aug. macedonica. Yellow. 4 ft. July-Sept. 35 ets. each.

INUM. Ordinary soil in flavum (Golden Flax). LINUM. sun. Yellow, 1 ft. June-July, 30 cts.

perenne (Perennial Flax). Blue, 1½ ft. perenne album. White, 1½ ft. May-Aug. May-Aug.

THOSPERMUM. Well drained soil in sun or light shade. *prostratum (Heavenly Blue). A prostrate plant with gentian blue flowers all summer. 75 cts. each. LITHOSPERMUM.

OBELIA. Moist soil in semi-shade. cardinalis (Cardinal Flower). Cardinal-red. 3 ft. July-LOBELIA A112 siphilitica (Large Blue Lobelia). Blue. 3 ft. Aug. -Sept.

LUNARIA. Ordinary annua (biennis) (H 2½ ft. June-July. Ordinary soil in sun. iennis) (Honesty). Sweet-scented; purplish.

LUPINUS. Sandy soil in light shade or sun. Blue, 3 ft.

polyphyllus (Washington Lupine).
July. White. 30 cts. each. albiflorus. 3 ft. June-July.

Moerheimi (Pink Lupine). Light and dark rose. 3 ft. June-July. 35 cts. each, \$3.50 per doz. Harkness Hybrids. Assorted colors. 3 ft. June-July. 30 cts. each.

LYCHNIS. Ordinary soil in sun.

YCHNIS. Ordinary soil in sun.

alpina (Arctic Campion). Rose. 6 in. April. Sold out.
chalcedonia (Maltese Cross). Scarlet 2 ft. June-July.
—alba. White. 2 ft. June-July.
coronaria (Agrostemma coronaria.) (Mullein Pink).
Silver foliage; crimson flowers. 2 ft. June-July.

Flos-cuculi (Ragged Robin). Pink. 1-2 ft. May-Aug.

Haageana. Orange-scarlet and other shades. 1 ft. May-June.

Viscaria splendens flore-pleno (Double Rose-Pink Campion). Double; crimson. 1 ft. May-June.

LYCORIS. Ordniary soil in sun.

squamigera (Amaryllis Halli). (Hardy Cluster Amaryllis). Lily-shaped, delicate lilac-pink flowers. 2 ft. Lily-shaped, delicate \$1 each,

LYSIMACHIA. Ordinary soil in sun.

barystachys (Loosestrife). White. 15 in. Aug. punctata (Spotted Loosestrife). Yellow. 2-3 ft. July-Aug.

LYTHRUM. Ordinary soil in sun.

Salicaria roseum (Rose Loosestrife). Rose. 2-3 ft. July-Aug.

MALVA. Ordinary soil in sun.
Alcea. Pink flowers. 2 ft.

Pink flowers. 2 ft. July-Sept. (Early Mallow). Pink and white. 4 ft. crispa June-Jüly.

moschata (Musk Mallow). Sweet-scented; rose-pink. 4-5 ft. June-Sept.

MATRICARIA. Ordinary soil in sun.

eximea plena (Golden Ball), Yellow; double.
inodora flore-pleno (Scentless False Chamomile). Double
white. 2 ft. June-Sept.

Rich soil in semi-shade. MECONOPSIS.

cambrica (Welsh Poppy). Yellow. 1 ft. June-Aug.

MENTHA. Ordinary soil in sun.

piperita (Mint). Used in the kitchen. rotundifolia (Apple mint). Very strong grower.

MERTENSIA.

Leaf mold soil in shade. luebells). Changeable blue. 1½ ft. Mayvirginica (Bluebells). June. 30 cts. each.

June. 30 cts. each.

MISCANTEUS. Ordinary soil in sun.
sinensis (Eulalia). Foliage bright green. 4-8 ft.
—gracillimus. Narrow foliage. 3-4 ft. 50 cts. each.
—variegatus. Leaf-blades striped white, green, and often pink. 4-6 ft. \$1 each.
—zebrinus (Zebra Grass). Broad yellow bands across the leaf. 4-5 ft. 50 cts. each.

MONARDA. Ordinary soil in sun.

Address (Occupeo Teal. Scarlet. scented foliage. 1% ft.

didyma (Oswego Tea). Scarlet, scented foliage. 11/2 ft. July-Aug.

MORINA .

July-Aug.
—alba. White. 1½ ft. July-Aug.
—rosea. Rose. 1½ ft. July-Aug.
fistulosa (Wild Bergamot). Purple 2-3 ft. July-Aug.
ORINA. Ordinary soil in sun.
x longifolia. White to pink. 2½ ft. July-Aug. 40 cts. x longifolia. Sold out.

MYOSOTIS. Ordinary soil in shade.

*dissitifiora (Swiss Forget-me-not). Pale blue. 6 in.
May-July. 30 cts. each.

*scorpioides (palustris). True Forget-me-not. 8 in. All

summer -*Ruth Fischer. Darker blue. 6 in. Summer. 40 cts.

each. NEPETA. Light soil in sun or light shade.

macrantha (Large-flowering Nepeta). Blue. 2 ft. July-Aug. 30 cts. each.
*Mussini. Mauve-blue. 1 ft. July-Sept.

**rivularis (White Cup). White. 5 in. June-July.

OENOTHERA. Ordinary soil in sun.
fruticosa (Common Sundrops). Rich yellow. 2 ft. June-Aug

Aug. *missouriensis (macrocarpa). Large; light yellow. 10 in. June-Aug. 35 cts. each. speciosa. White. 1½ ft. Aug. Youngit. Bright yellow. 2 ft. June-Aug.

OMPHALODES. Rich soil in shade, longiflora (Navelwort). Blue, 35 cts. each.

OPUNTIA. Dry soil in su vulgaris (Prickly Pear).

MPHALODES. Rich son ...
longiflora (Navelwort). Blue. 35 cts.
wintta. Dry soil in sun.
PHATIA. Dry soil in Sun.
Yellow flower cactus. 30 cts.

ACHYSANDRA. Ordinary soil in shade or sun, terminialls (Japanese Pachysandra). Trailing plant. Glossy green foliage. 8 in.

—varlegata. Variegated foliage. 8 in. PACHYSANDRA.

PAEONIA

We offer a large selection of the choicest varieties of these lovely flowers.

Prices, divided roots, strong plants, 50 cts. up. according to the variety. Heavy clumps according to size and variety, except where otherwise noted. ing to the

Abobra. Single; wild rose color. 75 cts. each. Alba Superba. Creamy white, center rose. Albatre. Large; creamy white; very free. La Albert Crousse. Shell pink. \$1.00 each. Ambrose Verschaffelt. Dazzling red.

Ambrose Verschaffelt. Dazzling re Anemone flore-pleno. Tyrian-rose.

Poiteau.

Avalanche. Ivory-white. \$1 each.

Baroness Schroeder. White Boadica. Yellowish white. Bicolor Lemoine. White. \$2 each.

Boadica. Yellow. White.
Boule de Neige. White.
Canarl. White, yellow center.
Charlemagne. Lilac-white with bluish
Clare Dubois. Satiny pink. \$1.50 each.
Rose-pink. 60 cts. each. bluish center; fragrant.

Clare Dubois. Satiny pink. \$1.50 each. Coquelin. Rose-pink. 60 cts. each. Delachel. Dark red. Dorchester. Hydrangea-pink, late. 75 cts. each. Doyen de Enkhuizen. White. 75 cts. each. Edulis Superba. Deep rose-pink. 60 cts. each. Elegans. Rose to white. Flugene Bigot. Brilliant crimson. Late. \$2 each. Felix Crousse. Ruby-red. \$1 each. Late. \$2 each.

PAEONIES--(Cont'd)

\$1 each.

Festiva Alba. White.
Festiva Maxima. Best white.
Germaine Bigot. Cameo-pink. \$1 ec
Golden Harvest. Nearest to yellow.
Goliath. Single; dazzling red.
Hermes. Single; maroon-red.
Jeanne d'Arc. Pale illac-rose; fragr
Brilliant crimson. fragrant. nson. \$2 each. Jeanne d'Arc. Pale mac-rose; fragrant.
Karl Rosenfield. Brilliant crimson. \$2 e
Lady Bromwell. Pink.
Lady Lilian Ogle. White. \$1.50 each.
Lee's Grandiflora. Rosy red.
Livingstone. Lilac rose, late. \$1.00 each.
L'Ilustration. Light rose.

Light rose. Creamy white. L'Indispensable.

L'Illustra...
L'Indispensable. Cream.

cts. each.
Louis Van Houtte. Carmine-rose.
Marie Jacquin. Flesh-white. \$1 each.
Marie Stuart. Clear rose, white center.
Mireille. Milky white. Late. 75 cts. each.
Mme. Breon. White, with shell-pnik.
Mme. Calot. Hydrangea-pink, early. 75 cts. each.
Mme. Forel. Violet-rose.
Mme. Forel. Violet-rose.
Mme. Jules Elie. Violet-rose. \$1 each.
Md'lle Desbuisson. Glossy pink. 60 cts. each.
Modele de Perfection. Rose pink, late. \$1.00 each.
Mons. Dupont. Ivory-white. Late. \$1.50 each.
officinalis albo-plena mutabilis. White, later slightly
pinkish. \$1.50 each.
officinalis roseo-plena. Pink. \$2 each.
officinalis rubro-plena. Crimson. \$1 each.
Primevere. Creamy yellow. \$4 each.
Reine Hortense. Old rose. \$1.50 each.
Rose d'Amour. Hydrangea-pink.

Flesh. Very late. \$1 each.

Flesh. Very late. \$1 each. Reine Hortense. Old rose, \$1.50 each.
Rose d'Amour. Hydrangea-pink.
Rothschild. Pink.
R. P. Whitfield. Flesh. Very late. \$1
Rubra Triumphans. Bright carmine.
Sarah Bernhardt. Apple blossom-pink.
\$1.50 each.

Strong grower.

Solfatare. Sulphury yellow to creamy white. Sonv. de l'exposition Universelle. Silvery rose. 75c each. Suzette. Rose-pink. \$2 each.

Thorbecki. Reddish pink.

Welcome Guest. nest. Silvery pink.
Rose color. \$1.00 each.

Zoe Calot. Rose color.

Zoe Well drained soil in sun.

Ponny). White. PAPAVER. ***alpinum (Alpine Poppy). White. 8 in. June-July. 35 cts. each. rupifragum. Salmon-red flowers. 30 cts. each. orientale (Oriental Poppy). Orange-scarlet. 2-3 ft. June-

July. Orange red. 2-3 ft. June-July.

Duke of Teck. cts. each. Gerald Perry. Apricot-pink. 2-3 ft. June-July. 40 cts.

each. Goliath. Enormous; scarlet. 2-3 ft. June-July. 40 cts. each.

each.

Grand Mogul. Rich red. 50 cts. each.

Joyce. Cerise; distinct. 2-3 ft. June-July. 35 cts. each.

Eringed orange. 2-3 ft. June-July. 50 cts. each.

2-3 ft. June-July. 50 Mahogany. Mahogany-maroon. cts. each.

Mrs. Perry. Salmon pink. 2-3 ft. June-July. 40 cts. each.

Olympia. Scarlet-red; semi double. 50 cts. ea Oriflamme. Rich orange-scarlet. 40 cts. each.

Perry's White. Sating white with a crimson-maroon blotch. 2-3 ft. June-July. 60 cts. each.

Princess Victoria Louise. Light pink. 2-3 ft. June-Princess Victoria Lo July. 50 cts. each.

Royal Scarlet. Deep scarlet. 50 cts. each.

PENNISETUM. Ordinary soil in sun. alopecuroides (japonicum). (Fountain Grass.) 3 ft. Narrow foliage; bronze-purple, cylindrical flower-heads. PENTSTEMON.

ENTSTEMON. Light soil in sun. acuminatus (Stiff Pentstemon). Violet-blue. 35 2-3 ft. cts. each.

diffusus (Bushy Pentstemon). Violet-blue. 2 ft. June-July.

PENTSTEMON (Cont'd)

gordonii splendens. Dark blue. 21/2 ft. July. 50 cts. each

grandiflorus. Metallic blue foliage; purple flowers. 3 ft.

grandinorus. Metallic blue lonage, parple de July. 30 cts. each.
hirsutus (puhescens). (Eastern Pentstemon). Rosy purple. 15 in. July.
laovigatus Digitalis (Foxglove Pentstemon). Purplish white. 2½ ft. July.
*Ratani Minor. 4 in., lavender blue, good for rockeries. Purplish

Torreyi (Chelone barbata). Scarlet. 3 ft. June-July.

PHALARIS . Ordinary soil in sun. arundinacea variegata (Ribbon Grass). Variegated

foliage.

PHLOMIS. Ordinary soil in sun.
tuberosa (Jerusalem Sage). Purple.
viscosa (Russeliana). Yellow. 3 ft. 2½ ft. June-Aug. June-Aug.



PHLOX

- -Laphami. Lavender-trusses, 1 to 2 ft. April-May.
- *amoena. Bright 4-6 in. April-May.
- *divaricata (canadensis)
 Fragrant; lavender. 10
 in. May. 30 cts. each.
- White. 10 -alba. May.
- -alba grandiflora. White variety; valuable. 12 in. May. 40 cts. each. *—alba
- glaberrima
- aberrima suffruticosa,
 Alfa. Pink. 3 ft. AprilMay. 35 cts. each.
 Dr. Hornby. White,
 with pink, crimson center. 2 ft. April-May.
 35 cts. each.
 Indian Chi
- der sheen and big pur-nlish eye. 2 ft. April-Laven-May.
- —Miss Lingard. Glossy foliage. White. April May. 35 cts. each. April-

Papaver, Lord Lambourne (Page 23)

*ovata (carolina). (Mountain Phlox). Reddish pink. June-July. 1 ft. paniculata, Astrid. Clear red.

Baron von Dedem. Cochineal-red.
 B. Comte. Satiny amaranth. 40 cts. each.

- —Carrillo Schneider. Deepest French purple. 75c each.
 —Commander. Crimson, red eye, does not fade. 50 cts. each.
- -Comte von Hochberg. Very large, dark crimson blooms. 35 cts. each.

Elizabeth Campbell. Light salmon-pink. 50 cts. each. Eringe. Light blue.

- Europe. White with crimson-carmine eye.

 Frau Anton Buchner. White.

 General Van Heutz. Fiery salmon-red.

 Goliath. Deep pink, late. 30 cts. each.

 Gruppenkoenigir. Pink eye. 30 cts. each. 30c each.

Independence. White.Iris. Purple. 40 cts. each.

-Isabey. Salmon-red.

- Jules Sandow. Rose pink. 40 cts. each.

 Johnson's Favorite. Salmon. 50 cts. each.

 Josephine Gerbeaux. White, cherry-red eye.

 Lumineux. Carmine and rose.

 Maid Marian. Best lavender. 35 cts. each.

-Mme. Pape Carpentier. White. -Mrs. M. von Hoboken. Soft pink; large. 40 cts. ecah. -Mrs. W. Jenkins. White.

-Peachblossom. Beautiful blush pink. 35 cts. each.



PHYSALIS FRANCHETI

PHLOX (Cont'd.)

—R. P. Struthers. Brilliant rosy red.
—Special French. Peculiar shade of pink.
—Thor. Rich salmon-pink. 30 cts. each.
—Vidar. Bright reddish violet, white center. 30c each.
—W. C. Egan. Soft pink. 30 cts. each.
*subulata alba (Moss Phlox). White.
*Illacina (Moss Phlox). Clear lilac.
*—rosea (Moss Phlox). Pinkish red.
Ramed varieties, except where otherwise noted, 25 cts.
each, \$2.50 per doz.; mixed varieties, \$1.50 per doz.

PHYSALIS. Ordinary soil in sun.
Prancheti (Ground Cherry). Brilliant orang seed-vessels or "lanterns." 2 ft. April-May.
Phygelius capensis (Cape Fuchsia). Light flowers all summer. 2 ft. 75 cts. each. orange-scarlet purplish

PHYSOSTEGIA. Ordinary soil in sun.
virginiana (Virginia False Dragonhead). Pink. 2-3 ft.

May-June.

alba.

une. White. 2-3 ft. May-June. Lea. Tall; deep pink. 5-6 ft. Deep pink, Low. 1½ ft. gigantea. Vivid. I June. May-June. 40 cts. each.

PLATYCODON. Ordinary soil in sun. grandifiorum (Balloon Flower). Deep blue. 1-2 ft. June-July. Low light bluish white. Mariesi.

PODOPHYLLUM. Acid soil in shade. peltatum (May Apple). White flowers, yellow, edible fruit. April-May. 8 in. followed by

POLEMONIUM. Ordinary soil; light shade caeruleum (Greek Valerian). Blue. 4.—album. White. 1-1½ ft. May-June.—himalayacum. Sky-blue. 2 ft. June. ft. May-June.

June-Aug.

POLYGONUM. Leafmold soil in light shade affine (Brunonis). 10 in. Aug.-Sept. (Himalayan Fleece Flower). Pink.

cuspidatum (Sieboldi). Creamy white flowers. Aug.-Sept.

POTENTILLA. TENTILLA. Ordinary soil in sun. *atrosanguinea (Himalayan Cinquefoil). Red. 18 in.

June-Aug.

Jifornica. Double; yellow. californica. 2 ft. July-Aug. 50 cts.

each.

nepalensis (formosa). Rust red. 2 ft. July-Aug. 30 cts. each.
purpurea. Dark red. 1-2 ft. July-Sept. 30 cts. each.
*Tonguei. Shading of yellow-orange. 6-8 in. July-Aug.

30 cts. each.

William Rollison.
50 cts. each. Double; mahogany; suffused orange.



PRIMULA ACAULIS

Ordinary soil in sun. Burnet). White and rose. 2 ft. July-Sept. POTERIUM. obtusum (Burnet).

PRIMULA

Hardy primroses are one of the most charming and delightful spring flowering plants for either the rock garden or as edgings to the perennial borders. A cool moist soil in semi-shade suits them best.

- *acaulis (English Primrose). Showy and fragrant. April-May.
- -*coerulea. A rare variety which comes in exquisite shades of blue. 6 in. April-May. 60 cts. each. -*fl. plena alba. An extremely choice and very rare type
- *f. plena alba. An extremely choice and very rare type with double white flowers. 6-8 in. April-May. \$1.00 \$1.00 each.
- -fl. pl. lilacina. Another rare gem with double lavender flowers. Very choice. 6-8 in. April-May. \$1.00 each. flowers. -*Auricula. Most attractive combination of colors. 6 in.
- **May-June. 40 cts. each.

 *Beesiana. Light purple. 35 cts. each.

 *Bulleyana. Red-orange-buff. June-July. 35 cts. each.

 *cortusoides. Red. 12 in. June-July. 30 cts. each.

 *denticulata cashmeriana. Purplish lavender. Extremely early. 12 in. March-April. 35 cts. each, \$3.50 per doz.
- *japonica. One of the best. Pyramids of rich-colored flowers. 18 in. June. 30 cts. each.

 x*Poissoni. Rich purple. 15 in. June-July. Sold out.

- **sikkimensis. Yellow. 18 in. June. Sold out.

 *Vettchi. Rosy purple. 15 in. June-July. 50 cts.

 *veris suaveolens. Yellow. 9 in. May-June. 3 30 cts. each.
- *veris (officinalis). (Cowslip Primula). A strain with a wide range of colors. 12 in. June-July.

PRIINTILLA.

RUNELLA. Moist soil in shade. *superba rosea (Self Heal). Pink. 1 ft. July-Aug.

***PULMONARIA. Ordinary soil in sun.
**angustifolia (Cowslip Lungworth). Deep gentian-blue.
12 in. April-May. 35 cts. each.
**saccharata (Bethlehem Lungworth). Foliage blotched and speckled white; flowers pink. 12 in. June-July.

40 cts. each.

PYRETHRUM. Rich soil in sun.
roseum fl. pl. (Chrysauthenuum coccineum). Be
double flowers in many choice shades. 2 ft.
July. \$1.00 each. Beautiful

BANUNCULUS. Ordinary soil in sun or light shade.
acris flore-pleno (Buttercup). Double; light yellow. in. May-June. flore-pleno. Creeping; yellow; double. 10 in.

repens flore May-June.



SEDUM KAMSCHATICUM (See Page 28)

RHEXIA **HEXIA** . Ordinary soil in sun. **virginica** (Common Meadow Beauty). Rosy purple with golden anthers. 15 in. July-Sept.

RODGERSIA. Moist peaty soil in shade podophylla (Bronzeleaf). Ornamental flowers. 2 ft. July-Aug. Ornamental leaves and white

ROSMARINUS. Ordinary soil in sun.

Yields an aromatic oil. officinalis (Rosemary). Old fashioned herb.

RUDBECKIA. Rich soil in sun.

maxima (Great Coneflower). Bluish metallic foliage;
yellow flowers with long, black cone. 5 ft. June-Sept

laciniata, Golden Glow. Golden yellow; double. 6-8 ft.

June-Sept.

speciosa (Newmanni). (Showy Coneflowers.) Orange-yellow. 2-3 ft. July-Oct.

subtomentosa (Black-eyed Susan). Bright yellow, with brown disk. 2½ ft. Aug.-Sept.

Ordinary soil in sun. a (Sorrel). Used in the kitchen. RUMEX.

patientia (Sorrel).

BUTA. Ordinary soil in sun. graveolens (Rue). Yellow flowers; entirely aromatic.

graveolens (Rue). Yellow flowers; entirely aromatic.

SALVIA. Ordinary soil in sun.
argentea (Silver Sage). Large, white, woolly leaves;
light bluish flowers. 2-3 ft. June. 30 cts. each.
azurea. Light, sky-blue. 4-5 ft. Aug.-Sept.
azurea grandiflora (Pitcheri). Deep blue; large, late.
4-5 ft. Sept.-Oct. 40 cts. each.
farinacea (Mealy-cup Sage). Whorls of spikes of blue
flowers. 2½ ft.
globosa. White, woolly foliage.
officinalis (Garden Sage). Used for culinary purposes.
pratensis. Dark blue. 2 ft. June-Aug.
Sclarea turkestanica. Green, woolly foliage; large bluish
white flower-bracts, 3 ft. July
virgata nemorosa. Light blue. 3 ft. May-June.

SANTOLINA. Ordinary soil in sun

SANTOLINA. Ordinary soil in sun
*Chamaecyparissus (Lavender Cotton). Evergreen; silvery white leaves. 15 in.

SAPONARIA. Ordinary soil in sun. *ocymoides (Rock Soapwort). Tra Trailing. Rosy flowers. 6 in. May-June. officinalis (Bouncing Bet).

White to rose-pink. 2 ft. July.

SATUREIA. ATUREIA. Ordinary soil in sun. montana (Savory). Purple. 8 in. SAXIFRAGA.

*XIFRAGA. Ordinary soil in sun.

*crassifolia (Megasea). (Leather Saxifrage.)

*Himalaica. Pink; later.

*Macnabiana. White, spotted. 35 cts. each.

*Umbrosa (London Pride). Pink flowers.

*Himalaica. Fine, inter.
*Macnabiana. White, spotted. 35 cts. each.
*Umbrosa (London Pride). Pink flowers. Requires shade. 35 cts. each.
*H. S. Stokes (Mossy). Rich red. 50 cts. each.
*Pyramidalis (cotyledon). Large leaf rosettes, white flowers. 50 cts. each.

SCABIOSA

CABIOSA. Rich soil in sun.
caucasica (Blue Bonnet). Lavender. 18 in.
35 cts. each.
—alba. White. 18 in. June-Sept. 35 cts. ea
japonica. Lavender-blue. 2 ft. July-Sept. June-Sept. 35 cts. each.

SCILLA excelsior. Mixed colors; 20c each; \$2.00 doz.

*baicalensis (Skullcap). Blue flowers in late summer. 12-15 in. July-Aug. 30 cts. each.

**SEDUM. Ordinary soil in sun.

**acre (Gold Moss). Bright yellow. 4 in. May-June.

**album (White Stonecrop). White. 4-6 in. July-Aug.

**Aizoon. Yellowish flowers. 1 ft. June.

**anglicum. White. 3 in. June-July. 30 cts. each.

**Anacampseros (Shy Stonecrop). Low; light green

foliage. 6 in

*carpaticum. Distinct, strong grower. 30 *dasyphyllum. White. 2 in. Light pink. 30 cts. each. k. June-July. 35 cts. each.

Narrow variegated leaves; pink flowers. *Fabaria. cts. each.

*japonicum. Yellow, 8-10 in. July-Aug.

*kamschaticum (Orange Stonecrop). Golden yellow. 8 in. July-Aug.

*Lidium. Crimson-tinted foliage in autumn. 3 in. July.

*Maximowiczi (Amur Stonecrop). Yellow. 10 in. July.

*Middendorffianum. Yellow. 30 cts. each.

*oppositifolium (Two-Row Stonecrop). White . 6 in. July. *oregonum. Distinct, emerald green foliage. 6 in. June-

30 cts. each *Pruniatum. Pale yellow, frosted. 30 cts. each.

Very distinct. Gray-purple foliage. *Fosterianum. 30 cts. each.

Yellow. 4-6 in. July. Fine carpeter. 30 *reflescum. cts. each.

*Sieboldi. Light pink. 8-10 in. Sept.

*Replesiana. Upright growing. 25 cts. each.

*Rupestre. Yellow. 25 cts. each.

*Sexangulare. Bright green leaves, six-angled; yellow flowers.

spectabile (Showy Stonecrop). Rosy pink. Sept.

spectabile atropurpurea (Purple Showy Stonecrop. 12-15 in. Aug.-Sept. 40 cts. each.

spectabile foliis variegatis. Yellow variegated foliage. 12-15 in. Aug.-Sept.

*stoloniferum (spurium). (Running Stonecrop.) 6-8 in. July-Aug. *stoloniferum coccineum (Scarlet Running Stonecrop).

Carmine. 6-8 in. July-Aug.
*undulatum. Creeping, pinkish flowers.

White. *tenuifolium.

SEMPERVIVUM. Well drained soil in sun.

*Browni. For rockeries. 30 cts. each.
*glaucum. Grayish, for rockeries. 30 cts. each.
*Montanum, distinct, for rockeries. 30 cts. each.

*tectorum (robustum). (Roof House-Leek.) eries. 2 in. Forms cactus-like rosettes. For rock-

*globiferum. Compact, light green, distinct. 35 cts. ea. Ordinary soil in sun.

2-4 ft. pulcher (Uruguay Groundsel).
July-Aug. 35 cts. each. Rosy purple.

July-Aug. 35 cts. each. eichianus. Yellow. 3-4 ft. July-Aug. 50 cts. each. Veichianus. Y \$5.00 per doz.



STATICE

SIDALCEA. Ordinary soil in sun. candida (White Prairie Mallow). July-Aug. Pure white. 2 1/2 ft.

-Rose Queen. Rose-pink. 3-5 ft. July-Aug. 35 cts. each.

SILENE.

ELENE. Well drained soil in sun.
*alpestris (Alpine Cathchfly). White. 4-6 ft. May-June.
*maritima. White. 6 in. May-June. 40 cts. each.
*Schafta. Bright pink. 6 in. July-Sept. 30 cts. each.

Ordinary soil in sun. (Rosinweed). Yellow. SILPHIUM. perfoliatum (Rosinweed).

6-8 ft. July-Aug. SISYRINCHIUM. Ordinary soil in sun.
angustifolium (bermudianum). (Blue-eyed Grass.) Blue
flowers on tops of grass-like foliage. 1 ft. May-July.

SOLIDAGO.

OLIDAGO. Ordinary soil in sun. missouriensis. Sulphur-yellow. 3-4 ft. Aug.-Sept.

STACHYS. Ordinary soil in sun.
grandifiora (Betony). Pink; snowy. 12 in. June-July
lanata. Woolly, silvery white folaige; purple flowers.
STATICE. Well drained soil in sun.
*Armeria (Common Thrift). True. Rose. 3-6 in. May June-July.

June *cephalotes rubra (Sea-pink). 12-18 in *pseudo-armeria (Armeria formosa). Bright rose-pink. 12-15 in. June. 12-18 in. June. 35c ea. ormosa). (False Thrift.)

STENANTHIUM. Moist, cool soil in shade.
robustum (Feather Fleece). Showy white.
flowers. 3-4 ft. July-Aug. 35 cts. each. Fleecy

Rich soil in sun. STOKESIA.

laevis (cyanea). (Stokes' Aster.) Lavender-bl ft. July-Sept. —alba. White. 1-2 ft. July-Sept. —rosea. Pink. 1-2 ft. July-Sept. 50 cts. each. x lutea. Yellow. Sold out for season. Lavender-blue.

TANACETUM. Ordinary soil in sun.
vulgare (Common Tansy). Useful as herbs.

TEUCRIUM. Ordinary soil in sun.
Charmaedrys (Germander). Purple. 1-2 ft. July-Sept.
30 cts. each.
orientale (Eastern Germander). Blue. 50 cts. each.

THALICTRUM. Ordinary soil in light shade.
aquilegifolium (Columbine Meadow Rue). White and
pink. 2-3 ft. May-July.
dipterocarpum (Yunnan Meadow Rue). Distinct. Violetmauve, brightened with lemon-yellow stamens and anthers. 4 ft. Aug.-Sept. 40 cts. each.
glaucum. Glaucous foliage; bronze-yellow flowers. 2 ft.
June-July.

June-July.

flavum. Yellow. 3-4 ft. July-Aug.
*minus (Low Meadow Rue). Greenish yellow. 1-2 ft.
June-July.



VERONICA SUBSESSILIS

THERMOPSIS. Ordinary soil in sun. caroliniana. Yellow. 3-4 ft. June-July. 35 cts. each.

HYMUS. Well drained soil in sun. *Serpyllum (Thyme). Dark green foliage. 6 in. Fine

ground cover. *—aureus. Golden variegated foliage. 6 in. Charm *—coccineus. Dark green foliage; red flowers. 6 in. *—lanuginosus (Wooly-leaved thyme). 6 in. Choice. vulgaris. Used in the kitchen. 9-12 in. Charming.

TIARELLA. Cool soil in shade. *cordifolia (Heart-leaved Foa

Foam-flower). 6-8 in. May. 35 cts. each.

purpurca major (Foam Flower). Bright foliage; salmonred flowers. 15-18 in.

TRADESCANTIA. Ordinary soil in sun.
virginiana (Virginia Spiderwort). Blue or viole
July-Sept.
—alba. White. 2 ft. July-Sept.
—coccinea. Red. 2 ft. July-Sept. 30 cts. each. Blue or violet. 2 ft.

TRITONIA (Montbretia). Ordinary soil in sun.
aurantiaca. Deep golden yellow.
crocosmaeflora. Scarlet and yellow.
Hybrids. New. Big-flowering, mixed. 20 cts. each. \$2

per doz. Pottsi. O

Port No.
Orange-scarlet.
speciosa. Yellow with red.
All Tritonias, 10 cts. each, 80 cts. per doz.,
except where otherwise noted.

TROLLIUS. Rich soil in semi-shade.
The trollius or (Globe Flower) is a very charming plant and gives a wealth of bloom with little care. They should be planted in masses for best effect.
—Canary Bird. Pale yellow. 1-1½ ft. May-June.

June. June.
—Salamander. Dark yellow. 1-1½ ft. May-June.
europaeus. Large; lemon-yellow. 1-1½ ft. May-Aug.
—superbus. Pure yellow. 1-1½ ft. May-Aug.
Excelsior. Orange-red. 2 ft. April-June. 50 cts. each.
Golden Annette. Yellow. 1½ ft. May-June.
Orange Globe. Golden orange. 2 ft. May-June. 50 cts.

each. Orange Princess. Deep orange. 2 ft. May-June. 50 cts. each.

2 ½ ft. \$1.00 each. ledebouri. Orange flowers, late.

Trollius are 35c each, \$4 per doz., except where otherwise noted. Collection of 6 varieties of Trollius, two of each

our choice, \$4. UNICA. Light, well drained soil in su *Saxifraga (Tunic Plower). Pink. 6 *—alba. White. 6 in. July-Sept. *—Fl. pl. Double white. 35 cts. each. drained soil in sun. TUNICA. 6 in. July-Sept.

NIOLA. Ordniary soil in sun. latifolia (Spike Grass). Drooping panicles of ornamen-tal flat heads. 2-3 ft. UNIOLA.

VALERIANA. Ordinary soil in sun. officinalis (Garden Heliotrope). Rose-pink strong odor. 4 ft. June.

VERBASCUM. Ordinary soil in sun.
longifolium pannosum (Golden Gate Mullein). Purple
and other shades. 3-4 ft. July-Sept.
olympicum. Yellow. 6-10 ft. July.
theysiforme (densiflorum). Yellow. 4-5 ft. July-Sept.

Octs, each.

VERONICA. Ordinary soil in sun.

*incana (Woolly Speedwell). Silvery gray foliage and dark violet-blue flowers. 1 ft. July-Aug.

*gentianoides (Genotian Speedwell). Violet. 9 in. May-June. 30 cts. each.

longifolia subsessilis (Clump Speedwell). Intense lustrous blue. 2 ft. Aug.-Sept. 30 cts. each, \$3 per doz.

*repens (Creeping Speedwell). White and blue. 2 in. May-June

May-June.
spicata (Spike Speedwell). Blue. 1½ ft. July.
—alba. White. 1½ ft. June-July.
—Blue Ridge. Dark blue. 1½ ft. June-July. 30c each.
—rosea. Rose. 1½ ft. June-July.
*Teucrium rosea. Dwarf; light pink. 6 in. May-June.

INCA. Ordinary soil in light shade.

major (Bigleaf Periwinkle). Green leaves; blue flowers. VINCA

reeper Silvery variegated foliage. Creeper.

variegata.

cts. each. inor. Evergreen trailer; much smaller leaves than V. major." *minor.

**Cornuta (Tufted Pansy), True, Dark blue, 10 in. June-Aug, 30 cts. each.

*-Admiration. Soft blue, 9 in. June-Aug,

*-alba. White, 9 in. June-Aug,

*-Cornuta Apricot. Rich apricot shade, 35 cts. each.

*-Jersey Gem. Pure violet. Blooms all season, 9 in. 35 cts. each.

*-papilio. Violet with dark even 9 in Type Aug.

*—papilio. Violet with dark eye. 9 in. June-Aug.
*Lutea. Bright yellow. 9 in. May-Aug.
*odorata alba. White, fragrant. 3-6 in. June.
*—odorata rosea. Pink. 30 ets. each.
*—flore-pleno. (Violet). True. Double white. Fragrant.

9 in. June.

-flore-pleno alba. White violet. Double. 9 in. June. ick. Sweet-scented; clear shade of blue. **-Gov. Herrick. Sweet-scented; clear shade of blue. 8 in. June.

*tricolor (Pansy). Best of colors and sizes at market

price.

YUCCA.

UCCA. Well drained soil in sun.
filamentosa (Adam's Needle). Sword-like foliage; spikes
of cream-white, fragrant flowers. 4-6 ft. June-July.
25 cts. to \$1 each.
filamentosa variegata. Yellow and green striped foliage.
4-6 ft. June-July. \$1 each.

ZEPHYRANTHES. Cool soil in light shade. **Atamasco** (Atamasco Lily; Fairy Lily). Pink and white flowers. Not hardy.

ANNUALS AND BEDDING PLANTS

In addition to my complete list of perennials and rock plants, I also grow a very large variety of annuals and bedding plants. These will be found most useful and effective in beds and borders, to supplement the feast of summer bloom in the home grounds. These are available—as long as they last—at lowest market prices.

Among them are—Ageratum, Begonia, Calendula, Centaurea, Chinese Asters, Chrysanthemum, Cobaea, Cosmos, Geranium, Heliotrope, Lantana, Lobelia, Lemon Verbena (Aloysia), Marguerites, Marigold (tall and low, or French), Salpiglossis, Salvia, Scabiosa, Summer Ivy, Verbena, Vinca variegata from pots, Zinnia in colors or mixed, and many others.

All Bedding Plants here mentioned and those not mentioned have been at least once transplanted and grown in coldframes to insure their hardiness.



LANDSCARE WORK

A life time experience—in all about 40 years—in laying out and remodelling estates in America, as well as abroad, has given me a profound knowledge of the artistry and requirements for work of this kind. I have also received many awards for garden models at different exhibitions, amongst which were two FIRST PRIZES for miniature models at the First International Flower Show, Grand Central Palace, New York City, 1913.

Our expert advice will assure satisfactory results.

ADDITIONAL UNCATALOGUED VARIETIES

Besides the galaxy of delightful and exquisite plants mentioned in the foregoing lists, I am constantly trying out many additional varieties for hardiness as well as other merits. The quantities of these, available, are limited and do not warrant listing. In this newer and rare collection you may find some rare favorites you may be anxious to obtain and if you will kindly let me know your wishes, giving some indication of your requirements, it is not only possible, but probable, I may have the desired plants to complete the enjoyment of your "Garden of Desire."

LOCATION. Our Nursery is located on main Boston Post Poad 1½ miles east of Madison, or 2 miles west of Clinton, on the edge of State Park (Shore).

VISITORS. I am always glad to welcome visitors who are interested in hardy plants. The flowering season starts with the opening of spring and continues until late fall, when a strong frost generally destroys the last of the very late-flowering plants.

ELIT.FLOWERS

All through the season you will find a large assortment of flowers suitable for cut-flowers. Many of them are from very rare varieties. Try some. Prices moderate.

